



Think ahead.

# Tork Reflex™ Wiping Paper Plus

473472



## Description

The 2-ply multipurpose Tork Reflex™ Wiping Paper Plus is ideal for mopping up liquides and hand drying. This paper can be used in either the Tork Reflex™ single-sheet centerfeed dispenser, which fits your team’s workflow, cuts down consumption, and minimizes the risk of cross-contamination.

- Single sheet dispensing - reduces consumption by up to 37%.
- SmartCore® core removal - for fast and easy refilling.
- Good absorption for mopping up spills helps to wipe up liquids faster
- Soft and strong, yet absorbent paper, for more efficient drying with less waste
- Reduced Consumption
- One hygienic sheet at a time
- 100 % Recycled
- Multipurpose

## Certifications



## Product Details

Number of Sheets	450
Roll width	19.4 cm
Roll diameter	18.5 cm
Embossing	No
Core inside diameter	5.9 cm
Print	No
Sheet length	33.5 cm
Ply	2
Roll length	150.75 m
System	M4
Color	White

## Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	3133200063227	3133200063234	3133200063241
Packaging Material	none	Plastic	-
Pieces	1	6 (6 CON)	144 (24 TRP)
Height	194 mm	194 mm	1,314 mm
Length	185 mm	555 mm	1,200 mm
Width	185 mm	370 mm	800 mm
Gross Weight	1,046.45 g	6.32 kg	151.63 kg
Net Weight	1,023.59 g	6.14 kg	147.4 kg
Volume	6.64 dm3	39.84 dm3	0.96 m3
Layers Per Pallet	-	-	6
TRP Per Layer	-	-	4

Compatible Products



Tork Reflex Sing Sh Cf disp  
Turquoise  
473180



Tork Reflex Portab Cf Start Pack  
Turq  
473186



Tork Reflex Portab Cf Start Pack  
blue rl  
473188



Tork Reflex Sing Sh Cf disp  
White  
473190

Environmental Information

Content	The product is made from Recycled fibers Chemicals The packaging material is made from paper or plastic.
Material	Recycled fibers Recycling of paper is an efficient use of resources as the wood fibers are used more than once. High demands are put on quality and purity of recovered paper, considering each step of the chain (collecting, sorting, transporting, storage, use), to ensure safe and hygienic products. Recycled fibers can be produced from different types of recovered paper, such as collected newsprint, magazines, office waste, paper cups, drink cartons, corrugated boxes and paper hand towels. The choice of recovered paper grades, is made for each product, depending on its specific requirements on performance properties and brightness. The paper is dissolved in water, washed and treated with chemicals under high temperature and screened to separate out impurities. Bleaching of pulp, used for tissue, is primarily a process to remove substances that could have a negative effect on important properties of the finished product such as purity, absorption, strength and color of the pulp.Bleaching of the recycled fiber pulp is made with chlorine-free bleaching agents (hydrogen peroxide and sodium dithionite). Some of our products are bleached and some are not. For bleached products we use bleaching agents (to increase the brightness of pulp from recovered paper).
Chemicals	All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view. To control product performance we use additives: <ul style="list-style-type: none"><li>Wet strength agents (for Wipers and Hand Towels)</li><li>Dry strength agents (is used together with mechanical treatment of the pulp to make strong products like wipers)</li><li>For colored papers dyes and fixatives (to secure perfect fastness of the color) are added</li><li>For printed products printing inks (pigments with carriers and fixatives) are applied</li><li>For multi ply products we often use water soluble glue to secure the integrity of the product</li></ul> In most of our mills we do not add optical brighteners but it often occurs in recovered paper since it is used in printing paper. We do not use softeners for professional hygiene products. High product quality is secured through quality and hygiene management systems throughout production, storage and transport. In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids: <ul style="list-style-type: none"><li>defoamers (surfactants and dispersing agents)</li><li>pH-control (sodium hydroxide and sulphuric acid)</li><li>retention aids (chemicals that help to agglomerate small fibers to prevent fiber loss)</li><li>Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)</li></ul> To reuse broke and to utilize recovered fibers we use: <ul style="list-style-type: none"><li>Pulping aid (chemicals that help to repulp wet strong paper)</li><li>Flocculation chemicals (that help to clean out printing inks and fillers from recovered paper)</li><li>Bleaching agents (to increase the brightness of pulp from recovered paper)</li></ul> In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.
Food Contact	This product fulfills the legislative requirements for Food Contact materials, confirmed by

	external certification performed by a third party. The product is safe for wiping food contact surfaces and may also come occasionally into contact with foodstuffs for a short period of time.
Environmental certification	This product is certified for the EU Ecolabel with certificate number SE/004/001. This product is certified for FSC® with certificate number SA-COC-008266.
Packaging	Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes
Article creation date and latest article revision	Date of issue: 21-02-2024  Revision date: 05-03-2025 
Production	This product is produced at Hondouville - FR mill and certified according to ISO 9001, ISO 14001 (Environmental management systems), BRC-IoP, ISO 45001, ISO 50001 and FSC Chain-Of-Custody.
Disposal/destruction of used product	This product is used both for personal hygiene and for industrial processes. When used in industrial processes the product might through use be contaminated with different substances. This will determine how the used product will be handled / disposed of /destroyed. The product itself is suitable for incineration. If used in industrial processes contact local authorities before destruction. When used for personal hygiene it can be collected together with household waste.
Essity Hygiene and Health AB, 405 03 GÖTEBORG, Sweden	